


Blind rivet nuts Stainless steel A4 half hexagonal

Material: Stainless steel A4 1.4578



Standard Dome head




	Rivet body D, x L mm	Grip range mm	Part no.	Quantity per box
M 4 SW6 +0,1	6 x 11,0	0,5 - 2,0	644 0450	A 500
M 5 SW7 +0,1	7 x 12,0	0,5 - 3,0	644 0540	"
M 6 SW9 +0,1	9 x 15,5	0,5 - 3,0	644 0016	A 250
M 8 SW11 +0,1	11 x 17,0	0,5 - 3,0	644 1030	A 100

Blind rivet nuts Monel®

Material: Monel 400 NiCu30Fe 2.4360




Standard Dome head



	Rivet body D, x L mm	Grip range mm	Part no.	Quantity per box
M 6 Hole Ø: 9,1 mm	9 x 15,5	0,25 - 3,5	645 0695	A 250
	9 x 18,0	3,0 - 5,5	645 0698	"

Material surcharge will be added at a daily rate

Small head



	Rivet body D, x L mm	Grip range mm	Part no.	Quantity per box
M 4 SW6 +0,1	6 x 11,0	0,5 - 2,0	644 0460	A 500
M 5 SW7 +0,1	7 x 12,0	0,5 - 3,0	644 0530	"
M 6 SW9 +0,1	9 x 15,5	0,5 - 3,0	644 0017	A 250
M 8 SW11 +0,1	11 x 17,0	0,5 - 3,0	644 1040	A 100

Material surcharge will be added at a daily rate

The maximum tightening torque and the threaded breaking force and shear strengths for all blind rivet nuts can be found on pages 160 and 161. For head diameters, please report to page 171.

Material Size mm	All materials		Steel and Stainless steel A2 and A4, half hexagonal	
	Head diameter (mm)		Head diameter (mm)	
	Dome head/countersunk/Small		Dome head/countersunk/Small head	
M 4	9	7,1	9	7,4
M 5	10	8,1	10	8,4
M 6	12	10,1	13	10,4
M 8	14	12,1	15,8	12,4
M 10	15	∕.	∕.	∕.